

SuperForm EPS+ Frost Impact Board Specs

Strain %	Compressive Stress					
	Solid Void Form (kPa) [psi]		Frost Impact Board (4 in.) (kPa) [psi]		Frost Impact Board (6 in.) (kPa) [psi]	
1%	11.8	[1.71]	6.6	[0.96]	12.8	[1.85]
5%	59.3	[8.60]	36.2	[5.25]	37.8	[5.48]
10%	72.0	[10.44]	39.3	[5.70]	37.7	[5.48]
15%	78.1	[11.32]	40.2	[5.84]	35.1	[5.08]
20%	83.4	[12.10]	41.0	[5.94]	22.5	[3.26]
25%	89.1	[12.92]	41.5	[6.01]	21.2	[3.08]
30%	95.3	[13.82]	41.5	[6.02]	24.3	[3.52]
35%	102.4	[14.85]	35.8	[5.20]	29.2	[4.24]
40%	110.5	[16.03]	30.1	[4.37]	40.5	[5.88]
45%	119.7	[17.37]	34.9	[5.06]	56.7	[8.22]
50%	130.6	[18.94]	46.2	[6.70]	74.4	[10.80]
55%			59.8	[8.68]	90.1	[13.07]
60%			73.1	[10.60]	106.5	[15.44]

APPENDIX A - COMPRESSIVE CURVES




Figure 1 - Compressive Stress vs Strain Curves